VINDETO





www.vindetoprocurement.co.za admin@vindeto.co.za 064 510 6179

BEDSIDE LOCKERS

SINGLE LOCKER STEEL TOP WOOD TOP SHORT VERSION TALL VERSION • Epoxy powder coated • Formica wood top • 1 pull-out drawer • 1 epoxy-coated towel rail

HI-LOW OVERBED TABLE

• 1 cupboard with single roller catch

• 1 shelf inside



DRESSING TROLLEY

- Stainless steel/ Epoxy coated trolley with stainless steel shelves
- 4 x 75mm swivel castors
- 10mm chrome plated guard rail covering 3 sides



INSTRUMENT TROLLEY

- Stainless steel/ Epoxy coated trolley with stainless steel shelves
- 4 x 25mm chrome plated caps to seal top tubes
- 4 x 75mm swivel castors



• 1 Drawer



- 10mm chrome plated guard rail
 - 4 x 75mm swivel castors
 - stainless steel shelf

ANASTHETIC TROLLEY

• 6 drawers



- 6 drawers, 3 shelves
- - epoxy powder coated
 - Mild steel epoxy powder coated
- stainless steel worktop surface

ICU BED END



- - formica wood top with aluminium edging

Mild steel epoxy

coated

- needle box holder
- soap dispenser holder
- x-ray holder
- pull out top drawer
- optional, 4 drawers on left hand side

2 DRAWER ICU BED END



NEO NATAL BED END



- Mild steel epoxy powder coated trolley
- 1 drawer
- formica wood top
- 2 x plain castors
 - 2 x 75ml brake castors



EMERGENCY TROLLEY

- Mild steel epoxy coated
- stainless steel top rail
- drip stand holder
 - CPR board

- stainless steel top
 - 5 lockable drawers
 - · oxygen holder
 - 2x 125mm brake castors
- 2x 125mm plain castors

SOILED LINEN RECEIVER

canvas bag with nylon draw cord sold separately.



- epoxy coated shelves 295mm apart
- Epoxy powder coated
- 520mm diameter ring



- 610mm diameter ring
- 610x900mm

LOCKABLE POISON CABINET

• Epoxy powder coated, shelf inside, lockable door.

SMALL



LARGE



ONE ON TOP OF **ANOTHER**



2 lockable doors

MOBILE DRIP STAND

STAINLESS STEEL

• Stainless steel, 5 x 50mm swivel castors, adjustable T-rod, adjustable height (1300mm-2000mm)



3 LEG

• Epoxy powder coated, 3x 75mm swivel castors, adjustable T- rod, adjustable height (1300mm-2000mm).



5 LEG

• Epoxy powder coated, 5x 50mm swivel castors, adjustable T-rod, adjustable height (1300mm-2000mm).



MOBILE MONITOR STANDS

 Specialised item, made on request.



5 WHEEL BASE PATIENT MONITOR TROLLEY

 5 wheel base, Accessory basket, Weight: 6kg, Mounting



IV Stand

 Stainless steel high quality legs and castors for easy movement



Drip stand Mobile Stainless steel

- Stainless steel
- 5 castor
- 4 hooks



ANESTHETIC STOOL

 Adjustable aluminium seat top, mild steel epoxy powder coated, 4x 50mm swivel castors.



OPERATION STOOL

Epoxy coated mild steel, adjustable upholstered seat top, 4x 50mm swivel castors.



Epoxy coated mild steel, adjustable upholstered seat top, 4 x ferrules.

DOCTORS CHAIR

Thick Pad——Seating diameter: 15.75 inches, Thickness: 4.7 inches.

 360° Swivel caster and ultra-quiet wheels allow for easy movement.

Soft polyurethane wheels can prevent scratches on your floor. Height Adjustable Adjusting the height(from 18.50" to 22.44") with the Adjustable hydraulic gas lift.



- Stainless steel construction.
- Mounted on 5 x 50mm castors.
- Upholstered padded seat.
- Height adjustable by means of a heavy
- duty GAS SPRING
 - Dimensions; height from 460mm to 600mm)

EMERGENCY DRUG TROLLEY

- 2 drawers and cupboard.
- · Cardiac board.
- Infusion stand.
- oxygen bottle holder.
- Sliding top with drug
- compartments.
- Lower cupboard
- Size (L) 860MM X 580 mm x 1040 MM





The main body is composed of aluminum steel

5 DRAWER EMERGENCY TROLLEY

 The main body is composed of aluminum stee and ABS new material engineering structure, four column load-bearing.

• Front: Central lock, three fold silent track, five drawers, two small drawers, (height is 7cm), two middle drawers, (height is 25cm).

 There are 3*3 compartments in each drawer, which can be separated freely.

There is a defibrillator platform on the table and infusion stand.

5 DRAWER EMERGENCY TROLLEY - RED

• The main body is composed of aluminum steel and ABS new material engineering structure, four column load-bearing.

• Front: Central lock, three fold silent track, five drawers, two small drawers, (height is 7cm), two middle drawers, (height is 25cm).

• There are 3*3 compartments in each drawer, which can be separated freely.

• There is a defibrillator platform on the table and infusion stand.

ANESTHESIA TROLLEY

- Front: Central lock, three fold silent track, designed with 5 drawers, two small drawers (height is 7cm) two middle drawers. (Height is 12cm) one large drawer (height is 24cm) there are 3*3 compartments and 16 small compartments in each drawer, which can be separated feely.
- ABS double bottom injection molding process to form the table, recessed design can prevent items from falling, 304 Stainless steel three sided fence, the table is equipped with transparent soft glass.
- The main body is composed of aluminum, steel and ABS new material engineering structure, four column load-bearing
- Left side: equipped with assistant working desk
- Right Side: two trash cans, luxurious silent casters, (two with brakes, two without brakes) anti curling hair



OXYGEN CYLINDER CARRIER – SABS LEANING TYPE

 Epoxy coated mild steel, transports 180mm diameter cylinder, 2 front castors (150mm), 2 back castors (75mm), 10mm base plate.



OXYGEN CYLINDER STAND -UPRIGHT

 Size H 680 x L 400 x W 400mm, epoxy coated mild steel, transports a 180mm diameter cylinder.



Examination Lamp

Examination Lamp - LED



STEPS

SINGLE FOOT STOOL – NON SLIP TOP

 Mild steel, epoxy powder coated, nonslip rubber top, aluminium edging, 4 x 25mm ferrules.



SINGLE FOOT STOOL -ALUMINIUM TOP

 Stainless steel with checkered aluminium top, 4 x 25mm ferrules.



DOUBLE FOOT STOOL – NON SLIP TOP

 Mild steel epoxy powder coated, non-slip rubber top, aluminium edging, 4 x ferrules, 510mm x 660mm x 460mm.



DOUBLE FOOT STOOL – ALUMINIUM TOP

 Stainless steel with checkered aluminium top, 4x ferrules, 510mm x 660mm x 460mm.



KICK ABOUT BUCKET

STAINLESS STEEL

 Stainless steel, single ring to hold bucket, 3x 50mm swivel castors.



EPOXY COATED

• Epoxy coated mild steel, single ring to hold bucket, 3x 50mm swivel castors.



CHILD COT

- Epoxy powder coated, sides can move up and down on movable guide, 2x brake castors, 2x swivel castors, 50 x
 50 x 5mm mesh wire mattress base.
- Mattress sold separately.



ABS BABY CARRIAGE

- ABS Bassinet Trolley (Complete)
- Height Adjustable



BASSINET

L 700mm x W 440mm x H 820mm, clear acrylic crib, 4 x
 50mm swivel castors, water resistant taffeta covered mattress.



SPECIALISED BASSINET

• Specialised design, made on request.



3 FUNCTION ELECTRIC ICU BED WITH 8CM 4 SECTION MATTRESS

• Head and Foot Board: PP

· Casters: Independent locking casters

Side rails: 5 bars aluminum alloy

· Motor: Jieshun / Jiecang

• Infusion Pole: Stainless steel with 4 hooks

Mattress: 8cm thickness 32D Inner core with PU Cover



5 FUNCTION ELECTRIC ICU BED WITH 4 SECTION 8CM MATTRESS

• outer Size: 2060*1000*400 - 700mm

Remote Controller

Load Capacity: 250kg

Siderails: 4pc ABS with angle gauge

Motor: Jiechang/Jieshun motor

• Mattress: 8cm thickness 32D Inner core with PU Cover

• Bed Board: Overall punching, carbon steel

• Casters: central locking system double sides casters

· Head & Foot Board: ABS compound type with fender wheels

• Infusion Pole: Stainless steel with 4 hooks



EGG BOX MATTRESS 4 PART 10CM



ANTI BEDSORE MATTRESS

- The medical anti-bedsore mattress consists of a number if bars or spherical chambers.
- Press $1,3,5\cdots$ for single row, $2.4,6\cdots$
- It is arranged into a single double exhaust chamber in a double-row arrangement, which can change the pressure point of the body continuously, and keep the blood circulation of the patients in normal circulation.
- There are regular micropores in the air chamber, which can be pumped out of the micropores to keep the skin dry, thus preventing bedsores.
- Air Mattress size: 1950 x 900
- Main Technical Indicators
- Charge and release cycle: 5min for each aeration, 5 min for air release, 10min for one cycle, plus or minus 5% of the gas cycle
- Maximum inflatable pressure: the air charging pump can be adjusted by inflating pressure with maximum pressure greater than 12kpa: Air mattress under maximum working load, the maximum pressure is greater the 4kpa



ELECTRIC BUBBLE MATTRESS

• Bubble mattress is designed for the treatment and prevention of pressure sore stage 1 in short-term and domiciliary therapies. The mattress is PVC is composed of 130 7cm bubble cells, particularly comfortable, it is fixed to the bed by extra flaps on both top and bottom side. Very easy to install, maintain and use thanks to the possibility of adjust comfort range. The pump can be hung to the end of the bed by means of two hooks.

Odourless Medical-Grade PVC

• Japan One-Time Forming HF Device

High Quality Rubber Tube

Adjustable hangers to suit any kind of bed frame

Max User weight: 135kg

Dimensions without flaps (L x W x H): 200X 90 X 7cm

Flap length: 50 + 50cm

• Material: Odourless Medical-Grade PVC.

Cycle Time: 6 Min



SLEEPING CHAIR

- This is a attendant bed for a hospital cabin.
- Fully MS steel frame and high quality mattress.
- Foldable bed come chair for anywhere use.
- This bed also turns into a chair.
- It is also an economic space hospital furniture.
- It has a powder coating paint and wheel for easy movement.
- It is used in modern hospitals commonly.



THREE CRANK ABS HOSPITAL BED WITH 4 SECTION 8CM MATTRESS

· Bedboard: overall punching, carbon steel

• Casters: 4pcs, ABS noiseless caster with single lock

• Crank: 3pcs, ABS foldable

 Infusion pole: 1pc, stainless steel with 4 hooks, height adjustable

• Three Functions:

back adjustment 0~80°

• Leg adjustment 0~45°

• Height adjustment 400~700mm

• Head & foot board: PP/ABS

 Siderails: 6 bars aluminium alloy with plastic lock,40cm height

 Mattress: 6cm thickness with waterproof cover,palm and sponge inner



TWO-CRANK ABS HOSPITAL BED WITH 4 SECTION MATTRESS

· Bedboard: overall punching, carbon steel

Casters: central locking system double sides casters

Crank: ABS foldable

Infusion pole: stainless steel with 4 hooks

Two Functions:

Back adjustment 0~80° 2. leg adjustment 0~45°

Outer Size:

2060*1100*500mm

Load Capacity: 250kg


- Head & foot board: ABS with fender wheels
- Siderails: 6 bars aluminum alloy with metal lock
- Mattress: 6cm thickness with waterproof cover
- ABS with fender wheels, 1. 6 bars, aluminum alloy with metal lock
- IV: stainless steel with 4 hooks
- 40cm height central locking system, double sides, casters, ABS, foldable.



VINDETO MEDICAL MEDICAL FURNITURE

EXAMINATION COUCH

• Epoxy powder coated tube frame, ratchet operated backrest, vinyl covered chip foam.





FOLDABLE COUCH

· Specialised item, made on request.



EXAMINATION COUCH WITH BREATHING HOLE

• Epoxy powder coated tube frame, ratchet operated backrest, vinyl covered chip foam, 120 x 120mm breathing hole.

· Available in any colour.



EXAMINATION BED -WITH 1 CRANK

Frame: Powder Coated Steel Function: Back up, with crank





- Deluxe portable massage table - black.
- Dimensions: 186cm (L) x 68cm (W) x 58-85cm (H)
- Table Weight: 18 KG
- Portable: Yes
- Features: Face hole, headrest, arm sling, side armrests, and heightadjustable
- Section: 3 section massage table with back lift function
- Colour: Black

GYNAECOLOGICAL EXAMINATION BED

- Bed board size 1660 * 590 * 800mm
- The bed frame is made of high quality carbon steel square tubes and the main frame and legs of the bed are welded by 25*25*1.0mm square tubes, which are welded firmly and smoothly.

 The bottom of the bed is made of high quality multi layer solid wood composite board, and the top is covered with high-density sponge, and the high quality leather surface is outside, which is soft and comfortable.



- Bed board size 1660 * 590 * 800mm
- The bed frame is made of high quality carbon steel square tubes and the main frame and legs of the bed are welded by 25*25*1.0mm square tubes, which are welded firmly and smoothly.
- The bottom of the bed is made of high quality multi layer solid wood composite board, and the top is covered with high-density sponge, and the high quality leather surface is outside, which is soft and comfortable.



FULLY ELECTRICAL DELIVERY BED

• Excellent use for examinations, neurological, a simple operations and post-operations

- Backrest and height adjustment by motors.
- HPL compact lying platform.
- Trendelenburg / Reverse
- Trendelenburg with motors.
- Mechanical CPR
- Electrical Trendelenburg
- Battery Included
- · Central brake Included
- Back support pillow Included



IV Reclining Chair

• Adjustable Backrest



BED SCREENS

- Epoxy powder coated, each panel is 1700mm x 600mm.
- Available in 3,4 & 5 fold.



LIFTING POLE (MONKEY POLE) WITH HANDLE

 Free standing, epoxy powder coated frame, triangular shaped handle with chain link, 4 holes on top, horizontal bar to locate handle.



CLINIBINS

50L

 Epoxy powder coated, removable plastic bin with handle, bin lid activated by pedal.



85L

 Epoxy powder coated, removable plastic bin with handle, bin lid activated by pedal, H 1080mm x W 530mm x L 520mm.



PATIENT CHART HOLDER

STAINLESS STEEL

 Stainless steel, 2 pockets (width 60mm each) 10mm round bar metal hooks covered with plastic protective tubing.



EPOXY COATED

 Epoxy powder coated, 2 pockets (width 60mm each) 10mm round bar metal hooks covered with plastic protective tubing.



BED BLOCKS

 Mild steel epoxy coated bed blocks to raise bed height.



COTTON WOOL DISPENSER

 Mild steel epoxy powder coated cotton wool dispenser.



URINE AND CATHITER BAG HOLDER

• Stainless steel urine bag holder.



 Mild steel, epoxy powder coated urine bag holder.



BED PAN AND URINAL RACK

 Stainless steel round bar made to hold bed pans and urinals, with stainless steel drip tray.



X RAY VIEWING BOX

• Epoxy powder coated light box to hold x-rays.

